


K-Cleatscrape® Belt Cleaner



K-Cleatscrape® Chevron Belt Cleaner
Suitable for vee cleats.



K-Cleatscrape® Duplex Belt Cleaner
Suitable for horizontal cleats.


K-Cleatscrape® Belt Cleaners deliver ultra-performance cleaning action and are highly effective against stubborn carryback. Featuring unique finger design technology, K-Cleatscrape® belt cleaners target and clean cleated conveyor belts with outstanding results.

These cleaners are suited for all bulk materials handling industries, particularly where cleated belts are utilised (recycling applications, high flowability bulk materials or high angle systems).

K-Cleatscrape® can prevent carry back generated spillage to increase throughput and decrease maintenance and environmental costs. K-Cleatscrape® Belt Cleaners are very forgiving when they come up against mechanically fastened splices, belt cover gouges or other belt damage imperfections.

Key Features:



- Various durometers (hardness) cleaner blade formulas to ensure maximum cleaning effectiveness whilst also being dynamic enough to move away from cleats of all sizes.
- Simple and easy to change out blades.
- Stainless steel clean tip (plain and tungsten available)
- Heavy duty mainframes available for belt widths up to 3,000mm.
- Works on both rubber vulcanised and metal cleats.




K-Cleatscrape® Chevron Belt Cleaners feature innovative finger design technology that allows the belt cleaner to be fitted in any position from the snub drum backwards. The Polyurethane fingers provide maximum flexibility, superior cleaning performance of the entire width of the conveyor belt. The unique design also ensures old and worn belts are not damaged, further extending the service life of the conveyor belt.

K-Cleatscrape® Belt Cleaner

K-Cleatscrape® Chevron Belt Cleaner Stainless-Steel Tips are proven to be effective when utilised within the harshest materials handling applications.



80 Shore A Durometer



70 Shore A Durometer

Belt Width	No. of Blade Segments	Part Numbers Black Polyurethane w/ SS Tips	Part Numbers Red Polyurethane w/ SS Tips
300 - 450	2	K-CLE-CHEV-0300-0450-LT-SS	K-CLE-CHEV-0300-0450-MT-SS
500 - 650	3	K-CLE-CHEV-0500-0650-LT-SS	K-CLE-CHEV-0500-0650-MT-SS
750 - 800	4	K-CLE-CHEV-0750-0800-LT-SS	K-CLE-CHEV-0750-0800-MT-SS
900 - 1050	5	K-CLE-CHEV-0900-1050-LT-SS	K-CLE-CHEV-0900-1050-MT-SS
1200	6	K-CLE-CHEV-1200-LT-SS	K-CLE-CHEV-1200-MT-SS
1350 - 1400	7	K-CLE-CHEV-1350-1400-LT-SS	K-CLE-CHEV-1350-1400-MT-SS
1600	8	K-CLE-CHEV-1500-1600-LT-SS	K-CLE-CHEV-1500-1600-MT-SS
1800	9	K-CLE-CHEV-1800-LT-SS	K-CLE-CHEV-1800-MT-SS
2000	10	K-CLE-CHEV-2000-LT-SS	K-CLE-CHEV-2000-MT-SS

NOTE:


Black polyurethane K-Cleatscrape® Chevron blades are suitable for chevron profile cleats between 36 to 100mm tall.

Red polyurethane K-Cleatscrape® Chevron blades are suitable for chevron profile cleats between 0 to 35mm tall.

Tungsten Tips are available –
Contact Kinder for further info and pricing.



K-Cleatscrape® Belt Cleaner



K-Cleatscrape® Duplex Belt Cleaners will work on cleated belts up to 100mm in height and perfectly suited for recycling applications. The proprietary finger design ensures optimal and even belt scraping.

The innovative blades are simple and easy to change and can be easily retrofit to accommodate K-Cleatscrape® Chevron Belt Cleaner tubes.

Belt Width	No. of Blade Segments	Part Numbers	
		Black Polyurethane w/ SS Tips	Red Polyurethane w/ SS Tips
500-650	3	K-CLE-DPLX-0500-0650-LT-SS	K-CLE-DPLX-0500-0650-MT-SS
750-800	4	K-CLE-DPLX-0750-0800-LT-SS	K-CLE-DPLX-0750-0800-MT-SS
900-1050	5	K-CLE-DPLX-0900-1050-LT-SS	K-CLE-DPLX-0900-1050-MT-SS
1200	6	K-CLE-DPLX-1200-LT-SS	K-CLE-DPLX-1200-MT-SS
1350-1400	7	K-CLE-DPLX-1350-1400-LT-SS	K-CLE-DPLX-1350-1400-MT-SS
1600	8	K-CLE-DPLX-1600-LT-SS	K-CLE-DPLX-1600-MT-SS
1800	9	K-CLE-DPLX-1800-LT-SS	K-CLE-DPLX-1800-MT-SS
2000	10	K-CLE-DPLX-2000-LT-SS	K-CLE-DPLX-2000-MT-SS

NOTE:

K-Cleatscrape® Duplex blades are supplied as a pair. 1 x three finger blade & 1 x two finger blade.

Red polyurethane K-Cleatscrape® Duplex blades are suitable for rubber or metal straight profile cleats less than 100mm tall.